


**WHELEN®**



**TOWMAN**  
**& RECOVERY**

**Towman's™ Certified Lighting  
and Accessories**



*Officially Licensed Warning Lights of NASCAR®*

**Top performing Strobe and Super-LED® Towman's™ lightbars provide high impact, rugged and reliable protection for your vehicle. They offer a wide range of options and are designed to let you specify the exact lightbar you need.**



### Towman's™ Edge® 9M Strobe Lightbar

- For the road recovery and towing industry, the heavy-duty classic Edge extruded aluminum I-Beam chassis with straight forward, modular construction for changes, upgrades or service.
- All models include rear facing LED brake/tail/turn signals & 2 halogen work lights and Scan-Lock™.
- 60" long, models include 4, 6, 8, 10 and 12 strobe lighthoods, pre-wired with 17' cable.
- Optional flashing LED lighthoods, flashing or steady halogen lighthoods.
- Most options are available in kit form, field-upgradeable by distributor, installer or user.
- Three 3-1/2" (89mm) mounting studs on adjustable sliding brackets included.

#### Options

- 9MSCANLK... 15' 5-C cable allows for individual Scan-Lock flash patterns of each power supply and flasher module
- 9MDSCBL..... Driver side cable exit, includes 25' cable
- 9MALY ..... Two halogen alley lights
- 9MDALY ..... Two duplex halogen alley lights
- 9MRFIWB..... Two halogen flashing lights, substituted for standard work lights
- 9MH2\*\* ..... Two halogen lights, includes flasher with steady-burn priority mode
- 9MH4\*\*\*\* ... Four halogen lights, includes flasher with steady-burn priority mode for one set of lights
- 9ML2\*\* ..... Two LED panels, includes flasher with steady-burn priority mode, red and/or amber
- 9ML4\*\*\*\* ... Four LED panels, includes flasher with steady-burn priority mode for one set of lights, red and/or amber
- 9MCRUISE... Four LED cruise lights
- ICC5AL..... Five LED ICC lights, amber, installed
- ICC5RL..... Five LED ICC lights, red, installed
- TA9M06H .... Built-in 6 halogen lamp Traffic Advisor™ with control head
- TA9M06L .... Built-in 6 LED panel Traffic Advisor with control head
- TA9M06S .... Built-in 6 strobe panel Traffic Advisor with power supply
- DEL9MWL.... Delete rear facing halogen work lights
- DEL9MSTP... Delete brake/tail/turn signals
- 9MLTH1 ..... Custom length up to 83" (except standard lengths)
- 9MLTH2 ..... Custom length up to 83+" to 100"


### Towman's Ultra Freedom™ Super-LED® Competitor™ Series Lightbar

- 60" long, 4 corner, wide angle, Linear Super-LED modules, pre-wired with 15' cable.
- Add 400 Series single level TIR style Super-LED amber lighthoods in pairs to a total of 12.
- Front/rear warning lights separately controllable.
- Rivals strobe in intensity with only 30% of the amp draw.
- Includes rear facing LED brake/tail/turn signals & 2 halogen work lights.
- Three 3-1/2" (89mm) mounting studs on adjustable sliding brackets included.

#### Options

- FLDSCBL..... Driver side cable exit
- FLTA46L ..... Six 400 Series LED Traffic Advisor, includes TACTRLD1 control head, requires deletion of brake/tail/turn or work lights
- FLETA A ..... Two single level TIR style lighthoods, factory installed, amber
- FLTAT6 ..... Six lamp single level TIR style LED Traffic Advisor with TACTLD1, requires deletion of work lights or brake/tail/turn lights
- FLTAL6 ..... Six lamp 5mm LED Traffic Advisor with TACTLD1, requires deletion of work lights or brake/tail/turn lights
- FLETKAA ..... Two Single Level TIR style LED lighthouse kits, customer installed, amber
- DELFLTBT.... Delete brake/tail/turn lights
- DELFLTWL ... Delete work lights
- DEL9MWL.... Delete two rear work lights, required if using a FLTA46L
- DEL9MSTP... Delete two brake/tail/turn lights, required if using a FLTA46L

Lightbar	Model No.	Technology	Lighthoods (Strobe unless specified on 9M lightbars)	Power Supplies	AMPS warning lamps only	VDC	FPM	Base
9M	9M140W00	strobe	4 (2 front/2 rear)	1 60 watt	6	12	75 CometFlashes® per lighthouse	aluminum I-Beam chassis
	9M140V00		4 (2 front/2 rear) 4 halogen flashers (2 fr/2 rear)		10.2		Scan-Lock™ controls 10 strobe, 5 halogen & 4 LED flash patterns	
	9M260W00		6 (4 front/2 rear)	2 60 watt	9		(optional 15' Scan-Lock cable required for external control)	
	9M280W00		8 (4 front/4 rear)		12			
	9M300W00		10 (6 front/4 rear)	3 60 watt	15			
	9M320W00		12 (6 front/4 rear/2 end)		18			
Ultra Freedom™	FLOTA AAA	Linear Super-LED	4 (2 front/2 rear)	2 flasher modules	6.4	75 SignalAlert™/per head		extruded alum. base & top
LFL Liberty™	SLOTA AAA				4.4			
Justice®	JFOTA AAA	Linear Super-LED corner modules and CON3™ Super-LED inboard modules	4 (2 front/2 rear)	1 flasher module	2.4	ActionScan™ default pattern  16 patterns available 52 patterns with optional Scan-Lock cable	extruded aluminum platform with polycarbonate base	
	JFOBAAAA		10 (2 front/4 rear/4 corners)		3.6			
	JFODAAAA		4 (2 front/2 rear)		2.4			



SLOTAAAA shown with optional SLETAA



### Towman's™ Liberty™ Competitor™ Series Lightbar

- 60" long, 4 corner, wide angle, Linear Super-LED® modules, pre-wired with 15' cable.
- Add 500 Series Linear Super-LED amber lightheads in pairs to a total of 12.
- Front/rear warning lights separately controllable.
- Rivals strobe in intensity with only 30% of the amp draw.
- Includes rear facing LED brake/tail/turn signals, 2 halogen work lights and 4 slide bolt mounting brackets.

#### Options

- SLETAA ..... Two Linear-LED lightheads, factory installed, amber
- SLLTAA..... Two 5mm LED lightheads, factory installed, amber
- SLTTALN6 .... Six lamp Linear-LED Traffic Advisor with TACTLD1 (requires deletion of work lights or brake/tail/turn lights)
- SLTTALED .... Six lamp 5mm LED Traffic Advisor with TACTLD1 (requires deletion of work lights or brake/tail/turn lights)
- SLETKAA..... Two Linear-LED lighthead kits, customer installed, amber
- DELSLEBT.... Delete brake/tail/turn lights
- DELSLEWL.... Delete work lights



JFOBAAAA



### Towman's Justice® Competitor Series

- Standard 62" Competitor Series with rear halogen work lights and LED brake/tail/turn lights, pre-wired with 15' cable.
- Front, rear and all bar operation control.
- Optional Scan-Lock™ flash pattern, override feature and low power operation.
- Moisture resistant compression fit gasket.
- Model with built-in five CON3™ Traffic Advisor™, no work lights.
- CON3 lightheads with removable optic spreading filters (optional on most models).
- Corner modules available with six or nine Super-LEDs.
- Service oriented. Change colors, upgrade or service in the field.
- Remove four screws to access any section of the lightbar. Replace any lighthead by removing one screw and a single connector.

#### Options

- JKDC\* ..... One CON3 Super-LED lamp
- JFALM1 ..... Alley light option for Towman Series with work lights only (Not for use with JFOD)
- JHWLM1 ..... Two MR11 steady-burn work lights with 15° horizontal adjustment
- JHSCAN ..... Function upgrade, allows for Scan-Lock flash patterns, low power and pattern override feature




Cable	Mount	Lens Color	Traffic Advisor Options	Size	Warranty	Certification
15' passenger side	3 adjustable slide bolts	color outer lenses	built-in LED, strobe or halogen	4-11/16" H x 10" W x 60" L	2 year	SAE Class 1 all models
	4 adj. slide bolts	clear outer lenses (optional color)	5mm or Linear-LED with control head	3-3/4" H x 12" W x 60" L	5 year HDP Heavy-Duty Professional	
				2-1/2" H x 12" W x 60-1/2" L		
	3 adjustable slide bolts	clear outer lenses (optional color)	n/a	includes five lamp CON3™ Traffic Advisor™	2-1/4" H x 12" W x 62-3/8" L	

**Added warning protection designed for harsh environments, hazardous driving conditions and long hours of operation.**

**Mid-Level, Dash & Deck**



**Responder® HD Mini Lightbars**



**Responder LP Mini Lightbars**



**Headlight**




**Towman's™ Systems**




**Dominator™ Light Arrays & Traffic Advisors**



**Traffic Advisors™**



**Interior Lights**



**Mini Lightbars**



**Guardian™ Mini Lightbars**



**Super-LED® Beacons**



**Heavy-Duty Lighthead**



**2G (4" Round) Warning & B/T/T**



**5G Warning & B/T/T**




**OS Marker/Clearance**



**Scene/Work/Flood Lights**



**Warning Lights**



**Scenelights™**



**Reliable, versatile Whelen warning lights will provide your towing vehicle with 360° of certified warning protection. Our goal is to keep you from having an accident... but, should you have an accident, we want to help keep you from being liable due to non-certified lighting!**

## Mid-Level, Dash & Deck

### NEW! Avenger™ Series

- Self-contained single, dual or split module, Linear Super-LEDs, warning signals with multiple Scan-Lock™ flash patterns. Small size and clear outer lenses make Avenger barely detectable until powered on. Standard swivel/bail bracket with three suction cups. Cigar lighter plug controls the On/Off operation and Scan-Lock.



### SlimLighter™

- LED: Class 2 Certified, dual epoxy coated lamps, 21 Scan-Lock patterns, built-in On/Off pattern buttons and an 8' cord with cigar plug.
- TIR6™ Super-LED: Meets Class 1, low amp draw, 21 Scan-Lock flash patterns, 10' cord, cigar plug with pattern selection button and On/Off switch.



### Slim-Miser™

- 5mm LED, high performance, low cost, dash mount with 3 windshield suction cups, cord & cigar plug.



### SpectIR™

- High output, LED, dash mount with 3 windshield suction cups, cord and cigar plug.



### NEW! SpitFire™

- Compact, LIN4™ Super-LED dash and deck light. Clear non-fluted lens, black molded polycarbonate, integrated hood and housing with bale bracket, two suction cups, cigar plug with an On/Off & Scan-Lock flash pattern switch with 45 patterns to choose from, including four CA Title 13 patterns.



## Beacons

### NEW! L11 Beacon

- L11 Series medium profile, SAE Class 1 Certified Super-LED beacon (amber) with self-cleaning smooth outer dome, polycarbonate base, Hi/Low power, cruise and synchronize feature with permanent, magnetic or magnetic/suction mounts.



### L31 Beacon

- Super-LED, Class 1 and CA Title XIII certified, 30 Scan-Lock flash patterns, includes 4 simulated rotating patterns, ability to alternately or simultaneously flash multiple patterns with up to 8 of same beacons, Hi/Low intensity, cruise lights, die-cast base, 12 VDC, available in 24 VDC.



### L32 Beacon

- Same as L31, but with a low profile dome (not California).



### L21 Beacon

- Super-LED, Class 1, features 21 Scan-Lock alternating and simultaneous flash patterns, and can be synchronized with up to eight beacons total. Broadband Energy Radiator™ Technology with virtually no EMI radiation. Cruise light with 4 intensity levels & Hi/Low mode. Choice of high or low dome and polycarbonate or cast aluminum base. Combination permanent/pipe/J-hook mount, magnetic or magnetic/suction mounting.

### L22 Beacon

- Super-LED, Class 2, SmartLED® design, 75 SignalAlert™ FPM standard with 14 additional Scan-Lock flash patterns built-in, polycarbonate base, high dome only. Available in permanent/pipe, magnetic or magnetic/suction mounting.



### NEW! L51 (Class 1), L52 (Class 2) and L53 (Class 3) Beacons

- Economical self-contained Super-LED, Class 1, 2 or 3, 90 SignalAlert™ FPM, polycarbonate base, low twist off dome. Permanent/pipe, magnetic or flat mount.



## Mini Lightbars

### Ultra Freedom™

- Class 1, 28-1/4" long, 4 corner Linear Super-LEDs, 21 Scan-Lock flash patterns, add up to 4 more inboard modules, halogen work lights or alley lights, clear outer lenses\*.



### LFL Liberty™

- Class 1, 22" long, 4 corner Linear Super-LEDs, 21 Scan-Lock flash patterns on permanent mount, external control, add halogen work lights or alley lights, clear outer lenses\*.



### NEW!

### Mini Justice®

- Our lowest profile lightbar with a 2-1/4" height and 22" long. Linear-LED Corner modules. Optional MR11, LR11 or full size high intensity LED take-downs, MR11 or LR11 alley lights, and CON3™, LTR or LR11 warning lights. Add up to 4 optional lighthouse modules. Black polycarbonate base on an extruded aluminum platform for added strength. Clear outer lens standard\* with a moisture resistant compression fit gasket.



### 9M

- Classic Edge® extruded aluminum I-Beam chassis with four or six strobes models & 10 selectable Scan-Lock flash patterns in a compact 28-1/2" size. Permanent, magnetic and heavy-duty suction cup mounting.



### Responder® HD

- Heavy-duty, Class 1, 17-1/4" long, Super-LED, 12 Scan-Lock flash patterns on permanent mount models, 75 SignalAlert™ on magnetic mount. Rugged aluminum base. R9 has six single level modules, R10 has six dual level modules.



### Responder® LP

- Class 1, 17" long and only 3" high, Super-LED, 30 Scan-Lock flash patterns plus 4 simulated rotating patterns. Polycarbonate or rugged aluminum base. R1 has six CON3 modules, R2 has six Linear-LED modules.



### Guardian™ Halogen

- G1 & G2 Series. 135 RPM rotators with 540 FPM or 175 RPM rotators with 700 FPM, high intensity H1 bulbs, 17-3/8" long.



### Guardian Strobe

- G5 & G7 Series. (G5) Two Class 1, amber, self-contained strobe beacons, QuintFlash™, 22 watts output, 288 FPM. (G7) Two remote strobe heads with built-in power supply, CometFlash®, 40 watts, 480 FPM, 17-3/8" long.



### Guardian Super-LED

- G9 Series. Six single level 400 Series Linear-LED lighthoods with 14 Scan-Lock flash patterns, SignalAlert 75 set as the default pattern, 17-3/8" long.



## Towman's Systems

### T103

- Class 1. Two dual linear strobe Micro Edge® lighthoods with bolt mount, UPS64LXA 60 watt output, 4 outlet power supply and 2SWITCH control panel. 10 Scan-Lock flash patterns, synchronize wire with optional rotary switch control. 20' of 6-C cable per lighthouse with AMP Mate-N-Lok® connectors. Manual Hi/Low intensity control.



### T105

- Class 1. Two LFL Liberty Super-LED low profile Micro lighthoods with bolt mount, built-in electronics and 2SWITCH control panel. 75 SignalAlert FPM per lighthouse. Capable of simultaneously flashing front and rear. 20' of 7-C cable per lighthouse with AMP Mate-N-Lok® connectors.



### T106

- Class 1. Two Ultra Freedom Super-LED Micro lighthoods with higher profile and bolt mount, built-in electronics and 2SWITCH control panel. 75 SignalAlert FPM per lighthouse. Capable of simultaneously flashing front and rear. 20' of 7-C cable per lighthouse with AMP Mate-N-Lok® connectors.



\* Optional color lenses available.

## Warning Lights

### HEL5™



- Aerodynamic tear drop shape Class 1 Super-LED® lighthouse. Cast aluminum mounting plate and bezel. Built-in electronics, 20 Scan-Lock™ flash patterns and synchronizable with compatible lighthoods. Surface mount by attaching with two fasteners. Supplied with 4-wire pigtail and AMP® connector.

### HEADBOARD-LED™



- Linear Super-LED lighthouse designed specifically for heavy-duty operation and mounting on vehicle headboard with 210° of light output. Pairs can be synchronized for simultaneous flashing. Rugged cast aluminum base mounts via two 3/8" mounting bolts. 20' heavy-duty TPR cable, custom lengths available.

### OS Series



- Tiny oval encapsulated interior/exterior LED lighthouse with chrome-plated ABS housing. Available in white illumination (steady-burn), amber/red marker/clearance, or red warning all with one flash pattern and built-in flasher or steady-burn units that require external flasher. 1" H x 1-1/2" W.

### 2G Series (4" Round)



- Vinyl grommet mount lighthouse compatible with competitive 4" lights and their mounting accessories. Available in LED warning, brake/tail/turn with minimum and maximum populated LEDs, and single diode Super-LED brake/tail/turn. Optional chrome/black flanges available. 5-1/2" dia. with grommet.

### NEW! 5G Series



- 5G Back-up light and 5G brake/tail/turn, both available with a single Super-LED diode. 5G also has a 5mm LED B/T/T and a red LED warning light. These oval mount lights are compatible with 6" competitive lights & mounting accessories. They can be mounted horizontal or vertical and includes a vinyl mounting grommet. Optional chrome flanges available. 3-3/16" x 7-7/16" with grommet.

### 900 Series & NEW M9 Scenelights™



- 900 Series Super-LED Scenelights in two intensity levels with 12 or 24 diodes. The 12 diode model compares to existing halogen Scenelights, the 24 diode compares to H.I.D. models. No high voltage and lower operating temperature, plus Super-LEDs are instant "ON", no high current warm-up. Optics provide 8-32° light spread. LEDs do not emit ultra violet radiation that attracts insects during night operation like H.I.D. lights do. In an industry 1st, the M9 Series surface mount LED Scenelight, features inner optics that directs light downward without angle brackets. 7-1/8" H x 9-1/8" W.

### TIR3™/LIN3™ Series



- Super-LED surface mount fits in almost any location. Includes 25 Scan-Lock™ flash patterns and black ABS flange. TIR3™ and LIN3™ have same LED lamps but different lenses that disperse light at different angles. TIR3 is directional, LIN3 disperses 180° light spread. 1-5/16" H x 3-5/8" W with flange.

### NEW! LIN4™ Series



- Super-compact, high intensity Super-LED lighthouse with 69 Scan-Lock flash patterns and four diodes which can alternately flash two at a time or all four simultaneously. LIN4 can be synchronized with all synchronizable Whelen products. Slightly larger than LIN3 but same style mounting options. Single color and split LED colors available. 1-1/4" H x 1-1/4" D x 4-3/8" L.

### NEW! LINZ6™ Series



- Sub-compact, wide-angle light spread LED lighthouse which can be mounted virtually anywhere. Clear non-fluted lens, black ABS flange standard, and optional chrome flange available. Whelen patented Linear-LED® wide-angle optics for maximum visibility. Low current draw, fully encapsulated electronics provide vibration, moisture and corrosion resistance. Heavy-duty, surface mounted SmartLED™ design requires no external flasher. Split colors available. 69 Scan-Lock™ flash patterns, including steady-burn, alternating and simultaneous patterns. Eight Scan-Lock flash patterns allow for alternate or simultaneous flash of each color segment (3 x 3). The "synch" interconnect wire allows up to eight lighthoods to be synchronized together. 2" H x 4" W x 1 5/8" D.

### 4" Round



- A TIR6™ Super-LED in flat or extended lens with 10 Scan-Lock flash patterns (5 patterns with phase 1 and phase 2 for alternating/simultaneous flashing up to 8 lighthoods). Includes steady-burn and synchronize wire. Versatile, heavy-duty with adapter for 4-1/2" (PAR36) applications. Optional grommet and surface mounts (requires optional chrome or black mounting adapter). 4-1/4" diameter.

### 400 Series



- Single level, surface mount Linear Super-LED lighthouse with SmartLED® design. 10 Scan-Lock flash patterns and steady-burn, dual level requires a remote LED flasher. 3-3/16" H x 4-15/16" W.

### 500 Series



- Linear Super-LED and TIR6™ lighthoods with 25 Scan-Lock flash patterns, includes steady-burn and synchronize wire. Horizontal and vertical mount models. 1-5/8" H x 5" W.

**Note:** 400 and 500 Series models above require optional mountings.

### 600 Series



- Mid-sized, Linear Super-LED surface mount lighthouse. 4-1/8" H x 6-1/2" W.

As seen on CMT's "Trick My Truck" popular television show, this truck was featured with Whelen Safety Lighting Products mounted on it.



### 700 Series



- Rectangular surface mount Linear Super-LED lighthouse. 3-1/16" x 7-1/4".

### 900 Series



- Largest surface mount, dual level, Linear Super-LED lighthouse. 7-1/8" H x 9-1/8" D.

**Note:** 600 thru 900 Series have models that are available in SmartLED design with an internal flasher or without an internal flasher. Flasher versions have 14 Scan-Lock flash patterns plus steady-burn and Hi/Low. Requires remote LED flasher, purchased separately.

### NEW! M Series

- M Series surface mount warning lighthoods have a unique lens shape which is completely illuminated with a patented Linear-LED designed reflector assembly. The updated design allows for faster, easier surface mount installation via two screws located outside of a sealed lens/reflector assembly, eliminating water infiltration. A replaceable light engine is accessed from the rear of this lens/reflector assembly and a rear gasket insures that the lighthouse and optional flange do not make contact with the vehicle's surface. Choose from five intensity levels of Whelen®'s exclusive "NERM" (Non-Emergency Recognition Mode) where lighthoods glow for instant emergency vehicle identification, a standard feature. M Series have multiple Scan-Lock flash patterns and choose from solid, left/right, top/bottom, in/out, or diagonal sequencing. They all meet KKK 1822F, NFPA 1901, SAE and EC65 specifications and many are California Title XIII compliant. Optional black or chrome plated mounting flanges and split colors available. Hard coating on lens resists scratches, chemical and corrosive damage.

- **M4 Series** - 129 Scan-Lock patterns, 65 meet California Title XIII. 3-3/8" H x 5-1/2" W x 1-3/8" D.



- **M6 Series** - 164 Scan-Lock patterns, 82 meet California Title XIII. 4-5/16" H x 6-3/4" W x 1-3/8" D.



- **M7 Series** - 164 Scan-Lock patterns, 82 meet California Title XIII. 3-3/8" H x 7-5/8" W x 1-3/8" D.



- **M9 Series** - 164 Scan-Lock patterns, 82 meet California Title XIII. 6-1/2" H x 10-3/8" W x 1-3/8" D.



### Strip-Lite™



- Compact surface mounted LED. Its unique shape makes it ideal for areas on your vehicle where effective warning is limited. 14 Scan-Lock flash patterns. 1-3/8" H x 11-1/2" L.

## Headlight Systems



### Hide-A-Way Strobes

- 2 or 4 Hide-A-Way lighthoods with 15' cables, AMP Mate-N-Lok® connectors or Deutsch® waterproof connectors, and remote strobe power supply. Easy to install in composite style headlight/tail light assemblies.

### Universal LED Hideaway™



- 2 lamp system includes 2 Hideaway lighthoods with one 6' cable, one 10' cable and 2 outlet lamp driver. 4 lamp system with 4 Hideaway lighthoods, two 6' cables, two 10' cables and a 4 outlet lamp driver. Each has 85 Scan-Lock™ flash patterns, die-cast aluminum base that mounts in 3/4" hole. Backwardly compatible to standard 1" Hide-A-Way style lights.

### NEW! Vertex™ Hideaway™



- VERTEX™ Super-LED® 2 lamp system, with 2 single 1-1/2" diameter self-contained lighthoods with 25 Scan-Lock™ flash patterns and steady-burn with 9' Cable. Mounts in 1" hole. Backwardly compatible to standard 1" Hideaway style lights.

## Light Arrays and Traffic Advisors™

### Dominator™



- TIR3™ Super-LED warning and Traffic Advisor modules for interior or exterior use. Available in two, four, six or eight light flashing array or as a six or eight light Traffic Advisor. Rugged aluminum housing, fully encapsulated, fully waterproof. Slide bolt mount. Scan-Lock flash patterns. Requires customer supplied switches.

### Traffic Advisors™

- All have front loading lighthoods for easy access in the field, adjustable slide bolt mounting, heavy-duty extruded aluminum housing with black finish, control head with programmable flash patterns and 25' of cable (custom cable lengths available).

#### TA125NF1



- Small arrow with twelve Linear Super-LED modules.

#### TANF85



- Straight style, 8 Linear Super-LED modules.

#### TACF85



- Straight style, 8 CON3™ Super-LED modules.



## Interior Lights

- A wide range of interior lighting sizes and styles with advanced LED technology. Reliable, moisture & vibration resistant, LED lights will provide many hours of peak performance while using a fraction of the current draw required by out-dated lighting.

## Scene/Work/Flood Lights™

### Pioneer™ Series

- Single panel Model PFA1 and dual panel Model PFA2 Super-LED® Scene/Work/Flood Lights, requires optional mounting, purchased separately.



DISTRIBUTED BY

# WHELEN®

ENGINEERING COMPANY, INC.

51 Winthrop Road, Chester, CT 06412-0684

860-526-9504 Fax 860-526-4078

www.whelen.com

*Engineers for the Emergency Warning Industry*

*All Whelen Products are Proudly Made in the U.S.A.\**

© 2008 Whelen Engineering Company, Inc.  
Whelen reserves the right to upgrade and improve products without notice.  
Nascar® is a registered trademark of the National Association for Stock Car Auto Racing, Inc.  
\* Some back-up alarms are made in Canada for Whelen  
Printed in U.S.A. Code-12098B-1008